# Nondegradation Load Assessment Report
# City of Bloomington

## Table of Contents


1.0 Introduction ..... 4
1.1 MS4 Permit Requirements ..... 4
1.1.1 Loading Assessment ..... 4
1.1.2 Nondegradation Report ..... 4
1.1.3 Proposed SWPPP Modifications and Submittals to MPCA ..... 5
1.1.4 Discharges to Wetlands ..... 6
1.1.5 Discharges Affecting Source Water Protection Areas ..... 6
1.2 Discussion of MPCA Guidance ..... 7
1.2.1 Responses to Comments ..... 7
1.2.1.1 Modeling Approach and Complexity ..... 7
1.2.1.2 Average Annual Flow Volume ..... 8
1.2.1.3 Wetlands ..... 12
1.2.1.4 Special Waters Considerations ..... 13
1.2.2 Guidance Manual for MS4s ..... 13
1.2.2.1 Loading Assessment ..... 14
1.2.2.2 Nondegradation Report ..... 15
2.0 Loading Assessment ..... 17
2.1 Land Use/Land Cover Compilation ..... 17
2.2 Watershed Imperviousness Determination ..... 22
2.2.1 2020 Imperviousness Determinations ..... 23
2.2.2 Summary of Land Use/Land Cover by Watershed ..... 23
2.3 Modeling Approach and Methodology for Loading Estimates ..... 32
2.3.1 Average Annual Flow Volume ..... 37
2.3.2 Total Phosphorus ..... 38
2.3.3 Total Suspended Solids ..... 39
2.3.4 BMP Implementation Modeling ..... 41
2.3.4.1 Implementation of NURP Ponds ..... 41
2.3.4.2 Implementation of Infiltration Basins with NURP Pretreatment ..... 42
2.3.4.3 Implementation of Regional Infiltration Basins ..... 42
3.0 Results and Discussion ..... 46
3.1 Average Annual Runoff Volume ..... 51
3.2 Total Phosphorus ..... 55
3.3 Total Suspended Solids ..... 55
3.4 Implications of Load Assessment Results ..... 58

4.0 Recommendations for Nondegradation Report ..... 59
4.1 Water Quality Trend Analyses and Implications for Nondegradation Report ..... 59
4.2 Implications of Impaired Waters for Addressing Expanded Discharges in Nondegradation Report ..... 60
4.3 Remaining Points to Address in Nondegradation Report ..... 63
4.4 Recommendations for Using Load Assessment Modeling ..... 63
References ..... 65