



# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM SITE PLAN

These Floor Plans are part of Declaration

Document No. \_\_\_\_\_  
filed on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19\_\_\_\_,  
Hennepin County Recorder



o Denotes Iron Monument  
Bearings are assumed

**NOTES:**

1. BENCHMARK - Top of Hydrant corner 101st Street West and Quebec Avenue South El. = 827.49 Feet N.G.V.D. 1929
2. See Sheets 2 and 3 for location of easements.

The undersigned, being first duly sworn under oath, certifies and deposes that these Floor Plans of Condominium Number 355, Countryside West Condominium, being located upon that part of Lot 1, Block 8, Countryside West Fifth Addition, according to the plat thereof on file and of record in the office of the County Recorder, Hennepin County, Minnesota described as beginning at a point on the North line of said Lot 1, distant 480.36 feet and South 88° 56' West, assumed bearing, from the Northeast corner of said Lot 1; thence South 1° 04' East 59.18 feet; thence Southeasterly 140.76 feet along a tangential curve, concave to the Northeast, having a radius of 102.65 feet and a central angle of 78° 34'; thence South 79° 38' East tangent to last described curve 17.86 feet; thence South 47° 02' 49" East 253.23 feet; thence South 81° 00' East 193.59 feet to the East line of said Lot 1; thence South 0° 08' 14" West along said East line 126.85 feet to the Southeast corner of said Lot 1; thence South 88° 50' 15" West along the South line of said Lot 1 a distance of 357.99 feet; thence North 34° 59' West 241.69 feet; thence North 1° 04' West 300 feet to the North line of said Lot 1; thence North 88° 56' East along said North line 23 feet to the point of beginning,

and  
That part of said Lot 1, Block 8, described as beginning at a point on the South line of said Lot 1 distant 567.97 feet Westerly of the Southeast corner of said Lot 1; thence North 88° 50' 15" East, assumed bearing, along said South line 209.98 feet; thence North 34° 59' West 241.69 feet; thence South 19° 26' West 214.50 feet to the point of beginning, fully and accurately depicts all information required by Minnesota Statutes Section 515A.2-110.

The "additional real estate" is described as Lot 1, Block 8, except that part thereof above described and Lot 1, Block 9, said Countryside West Fifth Addition.

Dated this \_\_\_\_\_ day of \_\_\_\_\_, 1982.

Charles R. Winden, Registered Land Surveyor  
Minnesota Registration Number 7726

NOTARY:  
State of Minnesota  
County of Ramsey

The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_, 1982 by Charles R. Winden, a registered professional land surveyor.

Notary Public

Douglas A. Moe, a registered professional architect for the State of Minnesota pursuant to Minnesota Statutes Section 515A.2-101 (b) does hereby certify that all structural components and mechanical systems serving more than one unit of all buildings containing or comprising any units hereby created are substantially completed consistent with the Floor Plans of Condominium Number 355, Countryside West Condominium.

Dated this \_\_\_\_\_ day of \_\_\_\_\_, 1982.

Douglas A. Moe, Registered Architect  
Minnesota Registration Number 8318

NOTARY:  
State of Minnesota  
County of \_\_\_\_\_


The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_, 1982 by Douglas A. Moe, a registered professional architect.

Notary Public

**C.R. WINDEN & ASSOCIATES, INC.**  
LAND SURVEYORS

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM FIRST SUPPLEMENTAL FLOOR PLANS SITE PLAN

These Floor Plans are part of Declaration  
Document No. \_\_\_\_\_  
filed on the \_\_\_\_ day of \_\_\_\_\_ 19\_\_\_\_, A.D.,  
Hennepin County Recorder



The undersigned, being first duly sworn under oath, certifies and deposes that these First Supplemental Floor Plans of Condominium Number 355, Countryside West Condominium, being located upon that part of Lot 1, Block 8, Countryside West Fifth Addition, according to the plat thereof on file and of record in the office of the County Recorder, Hennepin County, Minnesota described as beginning at the Northeast corner of said Lot 1; thence South 88° 56' West, assumed bearing, along the North line of said Lot 1 a distance of 480.36 feet; thence South 1° 04' East 59.18 feet; thence Southeasterly 140.76 feet along a tangential curve, concave to the Northeast, having a radius of 102.65 feet and a central angle of 78° 34'; thence South 79° 38' East, tangent to last described curve 17.86 feet; thence South 47° 02' 49" East 253.23 feet; thence South 81° 00' East 193.59 feet to the East line of said Lot 1; thence North 0° 08' 14" East along said East line 373.23 feet to the point of beginning, fully and accurately depicts all information required by Minnesota Statutes Section 515A.2-110.

The "additional real estate" is described as Lot 1, Block 8, and Lot 1, Block 9 of said Countryside West Fifth Addition except that part lying East of a line described as beginning at a point on the South line of said Lot 1, Block 8, distant 567.97 feet Westerly from the Southeast corner of said Lot 1, Block 8; thence North 19° 26' East, assumed bearing, 214.51 feet; thence North 1° 04' West 300 feet to the North line of said Lot 1, Block 8, distant 503.36 feet Westerly from the Northeast corner of said Lot 1, Block 8, and there terminating.

Douglas A. Moe, a registered professional architect for the State of Minnesota pursuant to Minnesota Statutes Section 515A.2-101 (b) does hereby certify that all structural components and mechanical systems serving more than one unit of all buildings containing or comprising any units hereby created are substantially completed consistent with the First Supplemental Floor Plans of Condominium Number 355, Countryside West Condominium.

Dated this \_\_\_\_ day of \_\_\_\_\_, 1982.

Charles R. Winden, Registered Land Surveyor  
Minnesota Registration Number 7726

NOTARY:  
State of Minnesota  
County of Ramsey  
The foregoing instrument was acknowledged before me this \_\_\_\_ day of \_\_\_\_\_, 1982 by Charles R. Winden, a registered professional land surveyor.

Notary Public

Dated this \_\_\_\_ day of \_\_\_\_\_, 1982.

Douglas A. Moe, Registered Architect  
Minnesota Registration Number 8318

NOTARY:  
State of Minnesota  
County of \_\_\_\_\_



The foregoing instrument was acknowledged before me this \_\_\_\_ day of \_\_\_\_\_, 1982 by Douglas A. Moe, a registered professional architect.

Notary Public

**C. R. WINDEN & ASSOCIATES, INC.**  
LAND SURVEYORS


CONDOMINIUM NUMBER 355  
 COUNTRYSIDE WEST CONDOMINIUM  
 SECOND SUPPLEMENTAL FLOOR PLANS  
 SITE PLAN

These Floor Plans are part of Declaration  
 Document No. \_\_\_\_\_  
 filed on the \_\_\_\_ day of \_\_\_\_ A.D., 19\_\_\_\_,  
 Hennepin County Recorder



NOTES:

1. BENCHMARK - Top of Hydrant corner 101 st Street West and Quebec Avenue South. E.L. = 827.49 Feet N. G. V. D. 1929
2. See Sheets 2 and 3 for location of easements.



The undersigned, being first duly sworn under oath, certifies and deposes that these Second Supplemental Floor Plans of Condominium Number 355, Countryside West Condominium, being located upon that part of Lot 1, Block 8, Countryside West Fifth Addition, according to the plat thereof on file and of record in the office of the County Recorder, Hennepin County, Minnesota described as beginning at a point on the North line of said Lot 1 distant 503.36 feet Westerly from the Northeast corner thereof; thence South 88° 56' West, assumed bearing, along said North line 30.00 feet; thence South 1° 04' East 20.00 feet; thence Southwesterly 49.79 feet along a tangential curve, concave to the Northwest, having a radius of 35.64 feet and a central angle of 80° 02'; thence South 78° 58' West tangent to last described curve 22.00 feet; thence Southwesterly 84.78 feet along a tangential curve, concave to the Southeast, having a radius of 73.63 feet and a central angle of 65° 58'; thence South 13° 00' West, tangent to last described curve 83.95 feet; thence South 46° 13' 35\"

The "additional real estate" is described as Lot 1, Block 8, and Lot 1, Block 9 of said Countryside West Fifth Addition except that part lying East of a line described as beginning at a point on the South line of said Lot 1, Block 8, distant 857.89 feet Westerly from the Southeast corner of said Lot 1, Block 8; thence North 1° 27' 05\"

Dated this \_\_\_\_ day of \_\_\_\_\_, 1983.

Charles R. Winden, Registered Land Surveyor  
 Minnesota Registration Number 7726

NOTARY  
 State of Minnesota  
 County of Ramsey

The foregoing instrument was acknowledged before me this \_\_\_\_ day of \_\_\_\_\_, 1983 by Charles R. Winden, a registered professional land surveyor.

Notary Public

Douglas A. Moe, a registered professional architect for the State of Minnesota pursuant to Minnesota Statutes Section 515A.2-101(b) does hereby certify that all structural components and mechanical systems serving more than one unit of all buildings containing or comprising any units hereby created are substantially completed consistent with the Second Supplemental Floor Plans of Condominium Number 355, Countryside West Condominium.

Dated this \_\_\_\_ day of \_\_\_\_\_, 1983.

Douglas A. Moe, Registered Architect  
 Minnesota Registration Number 8318

NOTARY  
 State of Minnesota  
 County of \_\_\_\_\_


The foregoing instrument was acknowledged before me this \_\_\_\_ day of \_\_\_\_\_, 1983 by Douglas A. Moe, a registered professional architect.

Notary Public

**C. R. WINDEN & ASSOCIATES, INC.**  
 LAND SURVEYORS

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM THIRD SUPPLEMENTAL FLOOR PLANS SITE PLAN

These Floor Plans are part of Declaration  
Document No. \_\_\_\_\_  
filed on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19\_\_\_\_,  
Hennepin County Recorder



The undersigned, being first duly sworn under oath, certifies and deposes that these THIRD SUPPLEMENTAL FLOOR PLANS of CONDOMINIUM NUMBER 355, COUNTRYSIDE WEST CONDOMINIUM, being located upon Lot 1, Block 9 and Lot 1, Block 8, COUNTRYSIDE WEST FIFTH ADDITION, according to the plat thereof on file and of record in the office of the County Recorder, Hennepin County, Minnesota except that part lying east of a line described as beginning at a point on the north line of said Lot 1 distant 533.36 feet westerly from the northeast corner thereof; thence South 1° 04' East 20.00 feet, the north line of said Lot 1, Block 8 has an assumed bearing of South 88° 56' West; thence southwesterly 49.79 feet along a tangential curve, concave to the northwest, having a radius of 35.64 feet and a central angle of 80° 02'; thence South 78° 58' West, tangent to last described curve, 22.00 feet; thence southwesterly 84.78 feet along a tangential curve, concave to the southeast, having a radius of 73.63 feet and a central angle of 65° 58'; thence South 13° 00' West, tangent to last described curve 83.95 feet; thence South 46° 13' 35" West 248.55 feet; thence South 13° 00' West 80.38 feet; thence South 1° 27' 05" West 59.94 feet to the south line of said Lot 1 and said described line there terminating.

Dated this \_\_\_\_\_ day of \_\_\_\_\_, 1983.

Charles R. Winden, Registered Land Surveyor  
Minnesota Registration Number 7726

NOTARY  
State of Minnesota  
County of Ramsey  
The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_, 1983 by Charles R. Winden, a registered professional land surveyor.

Notary Public

Douglas A. Moe, a registered professional architect for the State of Minnesota pursuant to Minnesota Statutes Section 515A.2-101(b) does hereby certify that all structural components and mechanical systems serving more than one unit of all buildings containing or comprising any units hereby created are substantially completed consistent with the THIRD SUPPLEMENTAL FLOOR PLANS of CONDOMINIUM NUMBER 355, COUNTRYSIDE WEST CONDOMINIUM.

Dated this \_\_\_\_\_ day of \_\_\_\_\_, 1983.

Douglas A. Moe, Registered Architect  
Minnesota Registration Number 8318

NOTARY  
State of Minnesota  
County of \_\_\_\_\_  
The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_, 1983 by Douglas A. Moe, a registered professional architect.


Notary Public

○ Denotes Iron Monument  
Bearings are assumed

- NOTES:
1. BENCHMARK - Top of Hydrant corner 101st Street West and Quebec Avenue South E.I. = 827.49 Feet N.G.V.D. 1929
  2. See Sheet 2 for location of easement

CONDOMINIUM NUMBER 355  
COUNTRYSIDE WEST CONDOMINIUM  
SITE PLAN

C.R. DECLARATION  
Doc. No. \_\_\_\_\_



FILE NO.

C. R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM FIRST SUPPLEMENTAL FLOOR PLANS



C.R. DECLARATION  
Doc. No. \_\_\_\_\_

## SITE PLAN

NOTES:

1.  $\circ$  Denotes Iron
2. Bearings Are Assumed
3. BENCHMARK - Top of Hydrant Corner of 101st Street West & Quebec Avenue South El. = 827.49 Ft. N.G.V.D. 1929


FILE NO. \_\_\_\_\_



C. R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM SECOND SUPPLEMENTAL FLOOR PLANS SITE PLAN


C.R. WINDEN & ASSOCIATES, INC.  
Doc. No. \_\_\_\_\_



C.R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM THIRD SUPPLEMENTAL FLOOR PLANS SITE PLAN

C.R. WINDEN & ASSOCIATES, INC.  
Doc. No. \_\_\_\_\_



C.R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS



# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM SITE PLAN

C.R. DECLARATION  
Doc. No. \_\_\_\_\_

101 ST. STREET WEST



SCALE IN FEET



LOT 1

BLOCK 8

ADDITIONAL

REAL

COUNTRYSIDE

WEST

FIFTH

83

ROAD

LAKE

BUSH


83

ADDITION

ESTATE

FILE NO. \_\_\_\_\_

ADDITIONAL  
REAL  
ESTATE



209.98



567.97  
S 88°50'15"W

367.99

Utility Easement  
30'x28'1/4"W  
Drainage & Utility Easement According To The  
Plan Of Countryside West Fifth Addition  
166.85  
50'x28'1/4"W


C.R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM FIRST SUPPLEMENTAL FLOOR PLANS FIRST FLOOR PLAN



- NOTES:
1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.
  2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 8.66
  3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 7.94
  4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.

ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.





C. R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS


FILE NO.

CONDOMINIUM NUMBER 355  
COUNTRYSIDE WEST CONDOMINIUM  
SECOND SUPPLEMENTAL FLOOR PLANS  
SITE PLAN

FILE NO. \_\_\_\_\_




# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM THIRD SUPPLEMENTAL FLOOR PLANS FIRST FLOOR PLAN




- NOTES: 1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.  
 2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 7.80  
 3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 8.00  
 4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.

ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.




FILE NO.

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM FIRST FLOOR PLAN




FILE NO.




- NOTE:
1. ALL PATIOS, LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.
  2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 8.62
  3. PATIOS HAVE A FLOOR TO CEILING HEIGHT OF 9.00
  4. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 7.94
  5. LOCKERS ARE 4.7 FEET IN LENGTH AND 4.4 FEET IN WIDTH UNLESS OTHERWISE NOTED.

ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.



# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM FIRST SUPPLEMENTAL FLOOR PLANS SECOND FLOOR PLAN




FILE NO.

- NOTES:
1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS
  2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 8.65
  3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 7.94
  4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.

ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.




# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM SECOND SUPPLEMENTAL FLOOR PLANS FIRST FLOOR PLAN



FILE NO.


- NOTES:
1. ALL LOCKERS, BALCONIES, PATIOS, AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.
  2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 7.80
  3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 8.00
  4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.
  5. PATIOS HAVE A FLOOR TO CEILING HEIGHT OF 8.18




ELEVATIONS SHOWN ARE IN FEET  
AND ARE REFERENCED TO A  
BENCHMARK AS DENOTED ON SITE  
PLAN.

CONDOMINIUM NUMBER 355  
COUNTRYSIDE WEST CONDOMINIUM  
THIRD SUPPLEMENTAL FLOOR PLANS  
SECOND FLOOR PLAN

FILE NO.



- NOTES:
1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.
  2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 7.80
  3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 8.00
  4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.





ELEVATIONS SHOWN ARE IN FEET  
AND ARE REFERENCED TO A  
BENCHMARK AS DENOTED ON SITE  
PLAN.




# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM SECOND FLOOR PLAN

C.R. DECLARATION  
Doc. No. \_\_\_\_\_



- NOTES:
1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.
  2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 8.62
  3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 7.94
  4. LOCKERS ARE 4.7 FEET IN LENGTH AND 4.4 FEET IN WIDTH UNLESS OTHERWISE NOTED.



ELEVATIONS SHOWN ARE IN FEET  
AND ARE REFERENCED TO A  
BENCHMARK AS DENOTED ON SITE PLAN.



C. R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS


FILE NO. \_\_\_\_\_

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM FIRST SUPPLEMENTAL FLOOR PLANS THIRD FLOOR PLAN




- NOTES:
1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS
  2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 7.80
  3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 8.00
  4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.

ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.




FILE NO.

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM SECOND SUPPLEMENTAL FLOOR PLANS SECOND FLOOR PLAN




- NOTES: 1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.  
 2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 7.90  
 3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 8.00  
 4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.

ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.




FILE NO.

CONDOMINIUM NUMBER 355  
COUNTRYSIDE WEST CONDOMINIUM  
THIRD SUPPLEMENTAL FLOOR PLANS  
THIRD FLOOR PLAN



- NOTES: 1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.  
2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 8.00  
3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 8.00  
4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.


ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.




FILE NO.

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM THIRD FLOOR PLAN

C.R. DECLARATION  
Doc. No. \_\_\_\_\_




FILE NO. \_\_\_\_\_




- NOTE:
1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS.
  2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 7.80
  3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 7.94
  4. LOCKERS ARE 4.7 FEET IN LENGTH AND 4.4 FEET IN WIDTH UNLESS OTHERWISE NOTED.

ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.



C.R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS

CONDOMINIUM NUMBER 355  
COUNTRYSIDE WEST CONDOMINIUM  
FIRST SUPPLEMENTAL FLOOR PLANS




GARAGE FLOOR PLAN

- NOTES:
1. GARAGE STALLS ARE LIMITED COMMON ELEMENTS
  2. NUMBERS REFER TO GARAGE PARKING STALLS
  3. FLOOR TO CEILING HEIGHT AT WALL = 8.32
  4. FLOOR TO CEILING HEIGHT AT CENTER = 9.26
  5. GARAGE FLOOR SURFACE ELEVATION AT WALL = 827.00
  6. GARAGE FLOOR SURFACE ELEVATION AT CENTER = 826.06
  7. □ DENOTES CONCRETE COLUMNS
  8. COMPACT PARKING STALLS HAVE A LENGTH OF 14.0 FEET AND A WIDTH OF 8.0 FEET UNLESS OTHERWISE NOTED
  9. ALL OTHER PARKING STALLS HAVE A LENGTH OF 17.33 FEET AND A WIDTH OF 8.75 FEET.

ELEVATIONS SHOWN ARE IN FEET AND ARE REFERED TO A BENCHMARK DENOTED ON THE SITE PLAN.



FILE NO.

CONDOMINIUM NUMBER 355  
COUNTRYSIDE WEST CONDOMINIUM  
SECOND SUPPLEMENTAL FLOOR PLANS  
THIRD FLOOR PLAN




FILE NO. \_\_\_\_\_

- NOTES: 1. ALL LOCKERS, BALCONIES AND CHIMNEY FLUES ARE LIMITED COMMON ELEMENTS  
2. BALCONIES HAVE A FLOOR TO CEILING HEIGHT OF 7.72  
3. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 8.00  
4. LOCKERS ARE 4.66 FEET IN LENGTH AND 4.57 FEET IN WIDTH UNLESS OTHERWISE NOTED.




ELEVATIONS SHOWN ARE IN FEET AND ARE REFERENCED TO A BENCHMARK AS DENOTED ON SITE PLAN.

CONDOMINIUM NUMBER 355  
COUNTRYSIDE WEST CONDOMINIUM  
THIRD SUPPLEMENTAL FLOOR PLANS  
GARAGE FLOOR PLAN



- NOTES:
1. GARAGE STALLS ARE LIMITED COMMON ELEMENTS.
  2. NUMBERS REFER TO GARAGE PARKING STALLS.
  3. FLOOR TO CEILING HEIGHT AT WALL = 8.47
  4. FLOOR TO CEILING HEIGHT AT CENTER = 9.47
  5. GARAGE FLOOR SURFACE ELEVATION AT WALL = 821.93
  6. GARAGE FLOOR SURFACE ELEVATION AT CENTER = 821.12
  7. □ DENOTES CONCRETE COLUMNS
  8. COMPACT PARKING STALLS HAVE A LENGTH OF 16.0 FEET AND A WIDTH OF 8.0 FEET UNLESS OTHERWISE NOTED.
  9. ALL OTHER PARKING STALLS HAVE A LENGTH OF 17.33 FEET AND WIDTH OF 8.75 FEET.
  10. LOCKERS ARE LIMITED COMMON ELEMENTS.



ELEVATIONS SHOWN ARE IN FEET  
AND ARE REFERENCED TO A  
BENCHMARK DENOTED ON THE  
SITE PLAN.

FILE NO. \_\_\_\_\_





CONDOMINIUM  
COUNTRYSIDE

NUMBER 355  
WEST CONDOMINIUM

C.R. DECLARATION  
Doc. No. \_\_\_\_\_

GARAGE FLOOR PLAN





- NOTES:
1. GARAGE FLOOR SURFACE ELEVATION AT WALL=827.55
  2. GARAGE FLOOR SURFACE ELEVATION AT CENTER=826.40
  3. FLOOR TO CEILING HEIGHT AT WALL=8.30
  4. FLOOR TO CEILING HEIGHT AT CENTER=9.45
  5. GARAGE STALLS ARE LIMITED COMMON ELEMENTS
  6. NUMBERS REFER TO GARAGE PARKING STALLS
  7. □ DENOTES CONCRETE COLUMNS
  8. COMPACT PARKING STALLS HAVE LENGTH OF 14.0 FEET AND A WIDTH OF 8.0 UNLESS OTHERWISE NOTED.
  9. ALL OTHER PARKING STALLS HAVE A LENGTH OF 17.33 FEET AND A WIDTH OF 8.75 FEET.
  10. LOCKERS ARE LIMITED COMMON ELEMENTS.
  11. LOCKERS HAVE A FLOOR TO CEILING HEIGHT OF 8.30

FILE NO. \_\_\_\_\_

C. R. WINDEN & ASSOCIATES, INC.  
LAND SURVEYORS

# CONDOMINIUM NUMBER 355 COUNTRYSIDE WEST CONDOMINIUM SECOND SUPPLEMENTAL FLOOR PLANS

## GARAGE FLOOR PLAN



ELEVATIONS SHOWN ARE IN FEET  
AND ARE REFERENCED TO A  
BENCHMARK DENOTED ON THE SITE  
PLAN.

- NOTES:
1. GARAGE STALLS ARE LIMITED COMMON ELEMENTS.
  2. NUMBERS REFER TO GARAGE PARKING STALLS.
  3. FLOOR TO CEILING HEIGHT AT WALL = 8.35
  4. FLOOR TO CEILING HEIGHT AT CENTER = 9.15
  5. GARAGE FLOOR SURFACE ELEVATION AT WALL = 823.96
  6. GARAGE FLOOR SURFACE ELEVATION AT CENTER = 823.15
  7. □ DENOTES CONCRETE COLUMNS
  8. COMPACT PARKING STALLS HAVE A LENGTH OF 16.0 FEET AND A WIDTH OF 8.0 FEET UNLESS OTHERWISE NOTED.
  9. ALL OTHER PARKING STALLS HAVE A LENGTH OF 17.33 FEET AND WIDTH OF 8.75 FEET.
  10. LOCKERS ARE LIMITED COMMON ELEMENTS.

FILE NO. \_\_\_\_\_